

DRAFT

Algebra 1 EOC  
Item Specifications

---

The draft Florida Standards Assessments (FSA) *Test Item Specifications (Specifications)* are based upon the Florida Standards and the Florida Course Descriptions as provided in [CPALMs](#). The *Specifications* are a resource that defines the content and format of the test and test items for item writers and reviewers. Each grade-level and course *Specifications* document indicates the alignment of items with the Florida Standards. It also serves to provide all stakeholders with information about the scope and function of the FSA.

### Item Specifications Definitions

**Also assesses** refers to standard(s) closely related to the primary standard statement.

**Clarification statements** explain what students are expected to do when responding to the question.

**Assessment limits** define the range of content knowledge and degree of difficulty that should be assessed in the assessment items for the standard.

**Item types** describe the characteristics of the question.

**Context** defines types of stimulus materials that can be used in the assessment items.

## Florida Standards Assessments

### Modeling Cycle

The basic modeling cycle involves (1) identifying variables in the situation and selecting those that represent essential features, (2) formulating a model by creating and selecting geometric, graphical, tabular, algebraic, or statistical representations that describe relationships between the variables, (3) analyzing and performing operations on these relationships to draw conclusions, (4) interpreting the results of the mathematics in terms of the original situation, (5) validating the conclusions by comparing them with the situation, and then either improving the model or, if it is acceptable, (6) reporting on the conclusions and the reasoning behind them. Choices, assumptions, and approximations are present throughout this cycle.

[http://www.cpalms.org/Standards/mafs\\_modeling\\_standards.aspx](http://www.cpalms.org/Standards/mafs_modeling_standards.aspx)

## Mathematical Practices:

The Mathematical Practices are a part of each course description for Grades 3–8, Algebra 1, and Geometry. These practices are an important part of the curriculum. The Mathematical Practices will be assessed throughout.

### **Make sense of problems and persevere in solving them.**

**MAFS.K12.MP.1.1:**

Mathematically proficient students start by explaining to themselves the meaning of a problem and looking for entry points to its solution. They analyze givens, constraints, relationships, and goals. They make conjectures about the form and meaning of the solution and plan a solution pathway rather than simply jumping into a solution attempt. They consider analogous problems, and try special cases and simpler forms of the original problem in order to gain insight into its solution. They monitor and evaluate their progress and change course if necessary. Older students might, depending on the context of the problem, transform algebraic expressions or change the viewing window on their graphing calculator to get the information they need. Mathematically proficient students can explain correspondences between equations, verbal descriptions, tables, and graphs or draw diagrams of important features and relationships, graph data, and search for regularity or trends. Younger students might rely on using concrete objects or pictures to help conceptualize and solve a problem. Mathematically proficient students check their answers to problems using a different method, and they continually ask themselves, “Does this make sense?” They can understand the approaches of others to solving complex problems and identify correspondences between different approaches.

### **Reason abstractly and quantitatively.**

**MAFS.K12.MP.2.1:**

Mathematically proficient students make sense of quantities and their relationships in problem situations. They bring two complementary abilities to bear on problems involving quantitative relationships: the ability to decontextualize—to abstract a given situation and represent it symbolically and manipulate the representing symbols as if they have a life of their own, without necessarily attending to their referents—and the ability to contextualize, to pause as needed during the manipulation process in order to probe into the referents for the symbols involved. Quantitative reasoning entails habits of creating a coherent representation of the problem at hand; considering the units involved; attending to the meaning of quantities, not just how to compute them; and knowing and flexibly using different properties of operations and objects.

**Construct viable arguments and critique the reasoning of others.**

**MAFS.K12.MP.3.1:**

Mathematically proficient students understand and use stated assumptions, definitions, and previously established results in constructing arguments. They make conjectures and build a logical progression of statements to explore the truth of their conjectures. They are able to analyze situations by breaking them into cases, and can recognize and use counterexamples. They justify their conclusions, communicate them to others, and respond to the arguments of others. They reason inductively about data, making plausible arguments that take into account the context from which the data arose. Mathematically proficient students are also able to compare the effectiveness of two plausible arguments, distinguish correct logic or reasoning from that which is flawed, and—if there is a flaw in an argument—explain what it is. Elementary students can construct arguments using concrete referents such as objects, drawings, diagrams, and actions. Such arguments can make sense and be correct, even though they are not generalized or made formal until later grades. Later, students learn to determine domains to which an argument applies. Students at all grades can listen or read the arguments of others, decide whether they make sense, and ask useful questions to clarify or improve the arguments.

**MAFS.K12.MP.4.1:**

**Model with mathematics.**

Mathematically proficient students can apply the mathematics they know to solve problems arising in everyday life, society, and the workplace. In early grades, this might be as simple as writing an addition equation to describe a situation. In middle grades, a student might apply proportional reasoning to plan a school event or analyze a problem in the community. By high school, a student might use geometry to solve a design problem or use a function to describe how one quantity of interest depends on another. Mathematically proficient students who can apply what they know are comfortable making assumptions and approximations to simplify a complicated situation, realizing that these may need revision later. They are able to identify important quantities in a practical situation and map their relationships using such tools as diagrams, two-way tables, graphs, flowcharts and formulas. They can analyze those relationships mathematically to draw conclusions. They routinely interpret their mathematical results in the context of the situation and reflect on whether the results make sense, possibly improving the model if it has not served its purpose.

**Use appropriate tools strategically.**

**MAFS.K12.MP.5.1:**

Mathematically proficient students consider the available tools when solving a mathematical problem. These tools might include pencil and paper, concrete models, a ruler, a protractor, a calculator, a spreadsheet, a computer algebra system, a statistical package, or dynamic geometry software. Proficient students are sufficiently familiar with tools appropriate for their grade or course to make sound decisions about when each of these tools might be helpful, recognizing both the insight to be gained and their limitations. For example, mathematically proficient high school students analyze graphs of functions and solutions generated using a graphing calculator. They detect possible errors by strategically using estimation and other mathematical knowledge. When making mathematical models, they know that technology can enable them to visualize the results of varying assumptions, explore consequences, and compare predictions with data. Mathematically proficient students at various grade levels are able to identify relevant external mathematical resources, such as digital content located on a website, and use them to pose or solve problems. They are able to use technological tools to explore and deepen their understanding of concepts.

**MAFS.K12.MP.6.1:**

**Attend to precision.**

Mathematically proficient students try to communicate precisely to others. They try to use clear definitions in discussion with others and in their own reasoning. They state the meaning of the symbols they choose, including using the equal sign consistently and appropriately. They are careful about specifying units of measure, and labeling axes to clarify the correspondence with quantities in a problem. They calculate accurately and efficiently, express numerical answers with a degree of precision appropriate for the problem context. In the elementary grades, students give carefully formulated explanations to each other. By the time they reach high school they have learned to examine claims and make explicit use of definitions.

**Look for and make use of structure.**

MAFS.K12.MP.7.1:

Mathematically proficient students look closely to discern a pattern or structure. Young students, for example, might notice that three and seven more is the same amount as seven and three more, or they may sort a collection of shapes according to how many sides the shapes have. Later, students will see  $7 \times 8$  equals the well remembered  $7 \times 5 + 7 \times 3$ , in preparation for learning about the distributive property. In the expression  $x^2 + 9x + 14$ , older students can see the 14 as  $2 \times 7$  and the 9 as  $2 + 7$ . They recognize the significance of an existing line in a geometric figure and can use the strategy of drawing an auxiliary line for solving problems. They also can step back for an overview and shift perspective. They can see complicated things, such as some algebraic expressions, as single objects or as being composed of several objects. For example, they can see  $5 - 3(x - y)^2$  as 5 minus a positive number times a square and use that to realize that its value cannot be more than 5 for any real numbers  $x$  and  $y$ .

**Look for and express regularity in repeated reasoning.**

MAFS.K12.MP.8.1:

Mathematically proficient students notice if calculations are repeated, and look both for general methods and for shortcuts. Upper elementary students might notice when dividing 25 by 11 that they are repeating the same calculations over and over again, and conclude they have a repeating decimal. By paying attention to the calculation of slope as they repeatedly check whether points are on the line through  $(1, 2)$  with slope 3, middle school students might abstract the equation  $(y - 2)/(x - 1) = 3$ . Noticing the regularity in the way terms cancel when expanding  $(x - 1)(x + 1)$ ,  $(x - 1)(x^2 + x + 1)$ , and  $(x - 1)(x^3 + x^2 + x + 1)$  might lead them to the general formula for the sum of a geometric series. As they work to solve a problem, mathematically proficient students maintain oversight of the process, while attending to the details. They continually evaluate the reasonableness of their intermediate results.

# Technology-Enhanced Item Descriptions:

The Florida Standards Assessments (FSA) are composed of test items that include traditional multiple-choice items, items that require the student to type or write a response, and technology-enhanced items (TEI). Technology-enhanced items are computer-delivered items that require the student to interact with test content to select, construct, and/or support their answers.

Currently, there are nine types of TEIs that may appear on computer-based assessments for FSA Mathematics. For students with an IEP or 504 plan that specifies a paper-based accommodation, TEIs will be modified or replaced with test items that can be scanned and scored electronically.

Any of the item types may be combined into a single item with multiple parts called a multi-interaction item. The student will interact with different item types within a single item. Each part could be a different item type. For paper-based assessments, the following selectable-response item types may be combined into a single item: multiple choice, multi-select, editing task choice, selectable hot text, and matching.

For samples of each of the item types described below, see the [FSA Practice Tests](#).

## **Technology-Enhanced Item Types – Mathematics**

- Editing Task Choice** – The student clicks a highlighted word, phrase, or blank, which reveals a drop-down menu containing options for correcting an error as well as the highlighted word or phrase as it is shown in the sentence to indicate that no correction is needed. The student then selects the correct word or phrase from the drop-down menu. For paper-based assessments, the item is modified so that it can be scanned and scored electronically. The student fills in a bubble to indicate the correct word or phrase.
- Editing Task** – The student clicks on a highlighted word or phrase that may be incorrect, which reveals a text box. The directions in the text box direct the student to replace the highlighted word or phrase with the correct word or phrase. For paper-based assessments, this item type may be replaced with another item type that assesses the same standard and can be scanned and scored electronically.
- Hot Text** –
  - Selectable Hot Text** – Excerpted sentences from the text are presented in this item type. When the student hovers over certain words, phrases, or sentences, the options highlight. This indicates that the text is selectable (“hot”). The student can then click on an option to select it. For paper-based assessments, a “selectable” hot text item is



modified so that it can be scanned and scored electronically. In this version, the student fills in a bubble to indicate a selection.

- b. Drag-and-Drop Hot Text** – Certain numbers, words, phrases, or sentences may be designated “draggable” in this item type. When the student hovers over these areas, the text highlights. The student can then click on the option, hold down the mouse button, and drag it to a graphic or other format. For paper-based assessments, drag-and-drop hot text items will be replaced with another item type that assesses the same standard and can be scanned and scored electronically.
- 4. Open Response** – The student uses the keyboard to enter a response into a text field. These items can usually be answered in a sentence or two. For paper-based assessments, this item type may be replaced with another item type that assesses the same standard and can be scanned and scored electronically.
- 5. Multiselect** – The student is directed to select all of the correct answers from among a number of options. These items are different from Multiple Choice items, which allow the student to select only one correct answer. These items appear in the online and paper-based assessments.
- 6. Graphic Response Item Display (GRID)** – The student selects numbers, words, phrases, or images and uses the drag-and-drop feature to place them into a graphic. This item type may also require the student to use the point, line, or arrow tools to create a response on a graph. For paper-based assessments, this item type may be replaced with another item type that assesses the same standard and can be scanned and scored electronically.
- 7. Equation Editor** – The student is presented with a toolbar that includes a variety of mathematical symbols that can be used to create a response. Responses may be in the form of a number, variable, expression, or equation, as appropriate to the test item. For paper-based assessments, this item type may be replaced with a modified version of the item that can be scanned and scored electronically or replaced with another item type that assesses the same standard and can be scanned and scored electronically.
- 8. Matching Item** – The student checks a box to indicate if information from a column header matches information from a row. For paper-based assessments, this item type may be replaced with another item type that assesses the same standard and can be scanned and scored electronically.
- 9. Table Item** – The student types numeric values into a given table. The student may complete the entire table or portions of the table depending on what is being asked. For paper-based assessments, this item type may be replaced with another item type that assesses the same standard and can be scanned and scored electronically.

## Reference Sheets:

- Reference sheets will be available as online references (in a pop-up window). A paper version will be available for paper-based tests.
- Reference sheets with conversions will be provided for FSA Mathematics assessments in Grades 4–8 and EOC Mathematics assessments.
- There is no reference sheet for Grade 3.
- For Grades 4, 6, 7, and Geometry, some formulas will be provided on the reference sheet.
- For Grade 5 and Algebra 1, some formulas may be included with the test item if needed to meet the intent of the standard being assessed.
- For Grade 8, no formulas will be provided; however, conversions will be available on a reference sheet.

| <b>Grade</b> | <b>Conversions</b> | <b>Some Formulas</b> |
|--------------|--------------------|----------------------|
| 3            | No                 | No                   |
| 4            | On Reference Sheet | On Reference Sheet   |
| 5            | On Reference Sheet | With Item            |
| 6            | On Reference Sheet | On Reference Sheet   |
| 7            | On Reference Sheet | On Reference Sheet   |
| 8            | On Reference Sheet | No                   |
| Algebra 1    | On Reference Sheet | With Item            |
| Geometry     | On Reference Sheet | On Reference Sheet   |

Algebra 1 EOC Item Specifications  
Florida Standards Assessments

|                     |  |
|---------------------|--|
| MAFS.912.A-APR.1.1  | Understand that polynomials form a system analogous to the integers, namely, they are closed under the operations of addition, subtraction, and multiplication; add, subtract, and multiply polynomials.   |
| Clarifications      | <p>Students will relate the addition, subtraction, and multiplication of integers to the addition, subtraction, and multiplication of polynomials with integral coefficients through application of the distributive property.</p> <p>Students will apply their understanding of closure to adding, subtracting, and multiplying polynomials with integral coefficients.</p> <p>Students will add, subtract, and multiply polynomials with integral coefficients.</p>  |
| Assessment Limits   | <p>Items set in a real-world context should not result in a nonreal answer if the polynomial is used to solve for the unknown.</p> <p>In items that require addition and subtraction, polynomials are limited to monomials, binomials, and trinomials. The simplified polynomial should contain no more than six terms.</p> <p>Items requiring multiplication of polynomials are limited to a product of: two monomials, a monomial and a binomial, a monomial and a trinomial, two binomials, and a binomial and a trinomial.</p> |
| Stimulus Attributes | <p>Items may be set in a mathematical or real-world context.</p> <p>Items may use function notation.</p>   |
| Response Attributes | <p>Items may require the student to write the answer in standard form. Items may require the student to recognize equivalent expressions.</p> <p>Items may require the student to rewrite expressions with negative exponents, but items must not require the student to rewrite rational expression as seen in the standard MAFS.912.A-APR.4.7.</p>   |
| Calculator          | Neutral  |
| Sample Item         | See Appendix A for the Practice Test item aligned to this standard.  |

Algebra 1 EOC Item Specifications  
Florida Standards Assessments

|   |   |
|---|---|
| <p>MAFS.912.A-CED.1.1</p> <p>Also assesses<br/>MAFS.912.A-REI.2.3</p> <p>Also assesses<br/>MAFS.912.A-CED.1.4</p> | <p>Create equations and inequalities in one variable and use them to solve problems. <i>Include equations arising from linear and quadratic functions and simple rational, absolute, and exponential functions.</i></p> <p>Solve linear equations and inequalities in one variable, including equations with coefficients represented by letters.</p> <p>Rearrange formulas to highlight a quantity of interest, using the same reasoning as in solving equations. <i>For example, rearrange Ohm’s law, <math>V = IR</math>, to highlight resistance, <math>R</math>.</i></p>   |
| <p>Clarifications</p>   | <p>Students will write an equation in one variable that represents a real-world context.</p> <p>Students will write an inequality in one variable that represents a real-world context.</p> <p>Students will solve a linear equation.</p> <p>Students will solve a linear inequality.</p> <p>Students will solve multi-variable formulas or literal equations for a specific variable.</p> <p>Students will solve formulas and equations with coefficients represented by letters.</p>  |
| <p>Assessment Limits</p>  | <p>In items that require the student to write an equation, equations are limited to exponential functions with one translation, linear functions, or quadratic functions.</p> <p>Items may include equations or inequalities that contain variables on both sides.</p> <p>Items may include compound inequalities.</p> <p>In items that require the student to write an exponential function given ordered pairs, at least one pair of consecutive values must be given.</p> <p>In items that require the student to write or solve an inequality, variables are restricted to an exponent of one.</p> <p>Items that involve formulas should not include overused contexts such as Fahrenheit/Celsius or three-dimensional geometry formulas.</p> <p>In items that require the student to solve literal equations and formulas, a linear term should be the term of interest.</p> |

Algebra 1 EOC Item Specifications  
 Florida Standards Assessments

|                     |  |
|---------------------|--|
|                     | <p>Items should not require more than four procedural steps to isolate the variable of interest.</p> <p>Items may require the student to recognize equivalent expressions but may not require a student to perform an algebraic operation outside the context of Algebra 1.</p>  |
| Stimulus Attributes | <p>Items assessing A-CED.1.1 and A-CED.1.4 must be placed in real-world context.</p> <p>Items assessing REI.2.3 do not have to be in a real-world context.</p>   |
| Response Attributes | <p>Items assessing REI.2.3 should not require the student to write the equation.</p> <p>Items may require the student to choose an appropriate level of accuracy.</p> <p>Items may require the student to choose and interpret units.</p> <p>For A-CED.1.1 and A-CED.1.4, items may require the student to apply the basic modeling cycle.</p> |
| Calculator          | Neutral  |
| Sample Item         | See Appendix A for the Practice Test item aligned to a standard in this group.   |

|  |  |
|--|--|
| <p>MAFS.912.A-CED.1.2</p> <p>Also assesses<br/>MAFS.912.A-REI.3.5</p> <p>Also assesses<br/>MAFS.912.A-REI.3.6</p> <p>Also assesses<br/>MAFS.912.A-REI.4.12</p> | <p>Create equations in two or more variables to represent relationships between quantities; graph equations on coordinate axes with labels and scales.</p> <p>Prove that, given a system of two equations in two variables, replacing one equation by the sum of that equation and a multiple of the other produces a system with the same solutions.</p> <p>Solve systems of linear equations exactly and approximately (e.g., with graphs), focusing on pairs of linear equations in two variables.</p> <p>Graph the solutions to a linear inequality in two variables as a half-plane (excluding the boundary in the case of a strict inequality), and graph the solution set to a system of linear inequalities in two variables as the intersection of the corresponding half-planes.</p>   |
| <p>Clarifications</p>  | <p>Students will identify the quantities in a real-world situation that should be represented by distinct variables.</p> <p>Students will write a system of equations given a real-world situation.</p> <p>Students will graph a system of equations that represents a real-world context using appropriate axis labels and scale.</p> <p>Students will solve systems of linear equations.</p> <p>Students will provide steps in an algebraic proof that shows one equation being replaced with another to find a solution for a system of equations. In a single step, multiplication or addition is allowable; both are allowable with scaffolding.</p> <p>Students will identify systems whose solutions would be the same through examination of the coefficients.</p> <p>Students will identify the graph that represents a linear inequality.</p> <p>Students will graph a linear inequality.</p> <p>Students will identify the solution set to a system of inequalities.</p> <p>Students will identify ordered pairs that are in the solution set of a system of inequalities.</p> <p>Students will graph the solution set to a system of inequalities.</p> |
| <p>Assessment Limits</p>   | <p>Items that require the student to write a system of equations using a real-world context are limited to a system of 2 x 2 linear equations.</p> <p>Items that require the student to solve a system of equations are limited to a system of 2 x 2 linear equations.</p>   |

Algebra 1 EOC Item Specifications  
 Florida Standards Assessments

|                     |   |
|---------------------|---|
|                     | <p>Items that require the student to graph a system of equations or inequalities to find the solution are limited to a 2 x 2 system.</p>  |
| Stimulus Attributes | <p>Items assessing A-CED.1.2 must be placed in a real-world context.</p> <p>Items assessing A-REI.3.5 must be placed in a mathematical context.</p> <p>Items assessing A-REI.3.5 that include proofs should show the intermediate steps that contain one equation transformation per step.</p> <p>Items assessing A-REI.3.6 and A-REI.4.12 may be set in a real-world or mathematical context.</p> <p>Items may result in infinitely many solutions or no solution.</p> |
| Response Attributes | <p>Items may require the student to choose an appropriate level of accuracy.</p> <p>Items may require the student to choose and interpret the scale in a graph.</p> <p>Items may require the student to choose and interpret units.</p> <p>For A-CED.1.2, items may require the student to apply the basic modeling cycle.</p>  |
| Calculator          | Neutral   |
| Sample Item         | See Appendix A for the Practice Test items aligned to a standard in this group.   |

Algebra 1 EOC Item Specifications  
Florida Standards Assessments

|                     |  |
|---------------------|--|
| MAFS.912.A-CED.1.3  | Represent constraints by equations or inequalities and by systems of equations and/or inequalities, and interpret solutions as viable or nonviable options in a modeling context. <i>For example, represent inequalities describing nutritional and cost constraints on combinations of different foods.</i>   |
| Clarifications      | Students will write constraints for a real-world context using equations, inequalities, a system of equations, or a system of inequalities.<br><br>Students will interpret the solution of a real-world context as viable or not viable.   |
| Assessment Limits   | In items that require the student to write an equation or inequality as a constraint, the equation or inequality may be linear or a constant.<br><br>In items that require the student to write a system of equations to represent a constraint, the system is limited to two variables.<br><br>In items that require the student to write a system of inequalities to represent a constraint, the system is limited to two variables. |
| Stimulus Attributes | Items must be set in a real-world context.<br><br>Items may use function notation.   |
| Response Attributes | Items may require the student to choose an appropriate level of accuracy.<br><br>Items may require the student to choose and interpret the scale in a graph.<br><br>Items may require the student to choose and interpret units.<br><br>Items may require the student to apply the basic modeling cycle.   |
| Calculator          | Neutral  |
| Sample Item         | See Appendix A for the Practice Test item aligned to this standard.  |



Algebra 1 EOC Item Specifications  
Florida Standards Assessments

|                     |  |
|---------------------|--|
| MAFS.912.A-REI.1.1  | Explain each step in solving a simple equation as following from the equality of numbers asserted at the previous step, starting from the assumption that the original equation has a solution. Construct a viable argument to justify a solution method.  |
| Clarifications      | Students will complete an algebraic proof of solving a linear equation.<br><br>Students will construct a viable argument to justify a solution method.   |
| Assessment Limit    | Items will not require the student to recall names of properties from memory.  |
| Stimulus Attributes | Items should be set in a mathematical context.<br><br>Items may use function notation.<br><br>Items should be linear equations in the form of $ax + b = c$ , $a(bx + c) = d$ , $ax + b = cx + d$ , or $a(bx + c) = d(ex + f)$ , where $a$ , $b$ , $c$ , $d$ , $e$ , and $f$ are rational numbers. Equations may be given in forms that are equivalent to these.<br><br>Coefficients may be a rational number or a variable that represents any real number.<br><br>Items should not require more than four procedural steps to reach a solution. |
| Response Attributes | Items may ask the student to complete steps in a viable argument.<br><br>Items should not ask the student to provide the solution.   |
| Calculator          | Neutral  |
| Sample Item         | See Appendix A for the Practice Test item aligned to this standard.  |

|                     |   |
|---------------------|---|
| MAFS.912.A-REI.2.4  | <p>Solve quadratic equations in one variable.</p> <ol style="list-style-type: none"> <li>Use the method of completing the square to transform any quadratic equation in <math>x</math> into an equation of the form <math>(x - p)^2 = q</math> that has the same solutions. Derive the quadratic formula from this form.</li> <li>Solve quadratic equations by inspection (e.g., for <math>x^2 = 49</math>), taking square roots, completing the square, the quadratic formula, and factoring, as appropriate to the initial form of the equation. Recognize when the quadratic formula gives complex solutions and write them as <math>a \pm bi</math> for real numbers <math>a</math> and <math>b</math>.</li> </ol>  |
| Clarifications      | <p>Students will rewrite a quadratic equation in vertex form by completing the square.</p> <p>Students will use the vertex form of a quadratic equation to complete steps in the derivation of the quadratic formula.</p> <p>Students will solve a simple quadratic equation by inspection or by taking square roots.</p> <p>Students will solve a quadratic equation by choosing an appropriate method (i.e., completing the square, the quadratic formula, or factoring).</p> <p>Students will validate why taking the square root of both sides when solving a quadratic equation will yield two solutions.</p> <p>Students will recognize that the quadratic formula can be used to find complex solutions.</p>   |
| Assessment Limits   | <p>In items that require the student to transform a quadratic equation to vertex form, <math>b/a</math> must be an even integer.</p> <p>In items that require the student to solve a simple quadratic equation by inspection or by taking square roots, equations should be in the form <math>ax^2 = c</math> or <math>ax^2 + d = c</math>, where <math>a</math>, <math>c</math>, and <math>d</math> are rational numbers and where <math>c</math> is not an integer that is a perfect square and <math>c - d</math> is not an integer that is a perfect square.</p> <p>In items that allow the student to choose the method for solving a quadratic equation, equations should be in the form <math>ax^2 + bx + c = d</math>, where <math>a</math>, <math>b</math>, <math>c</math>, and <math>d</math> are integers.</p> <p>Items may require the student to recognize that a solution is nonreal but should not require the student to find a nonreal solution.</p> |
| Stimulus Attributes | <p>The formula must be given in the item for items that can only be solved using the quadratic formula.</p> <p>Items should be set in a mathematical context.</p>   |

Algebra 1 EOC Item Specifications  
Florida Standards Assessments

|                     |  |
|---------------------|--|
|                     | Items may use function notation.   |
| Response Attributes | <p>Items may require the student to complete a missing step in the derivation of the quadratic formula.</p> <p>Items may require the student to provide an answer in the form <math>(x - p)^2 = q</math>.</p> <p>Items may require the student to recognize equivalent solutions to the quadratic equation.</p> <p>Responses with square roots should require the student to rewrite the square root so that the radicand has no square factors.</p> |
| Calculator          | Neutral  |
| Sample Item         | See Appendix A for the Practice Test items aligned to this standard.   |

|  |   |
|--|---|
| <p>MAFS.912.A-REI.4.11</p> <p>Also assesses<br/>         MAFS.912.A-REI.4.10</p> | <p>Explain why the <math>x</math>-coordinates of the points where the graphs of the equations <math>y = f(x)</math> and <math>y = g(x)</math> intersect are the solutions of the equation <math>f(x) = g(x)</math>; find the solutions approximately (e.g., using technology to graph the functions, make tables of values, or find successive approximations). Include cases where <math>f(x)</math> and/or <math>g(x)</math> are linear, polynomial, rational, absolute value, exponential, and logarithmic functions.</p> <p>Understand that the graph of an equation in two variables is the set of all its solutions plotted in the coordinate plane, often forming a curve (which could be a line).</p> |
| <p>Clarifications</p>  | <p>Students will find a solution or an approximate solution for <math>f(x) = g(x)</math> using a graph.</p> <p>Students will find a solution or an approximate solution for <math>f(x) = g(x)</math> using a table of values.</p> <p>Students will find a solution or an approximate solution for <math>f(x) = g(x)</math> using successive approximations that give the solution to a given place value.</p> <p>Students will justify why the intersection of two functions is a solution to <math>f(x) = g(x)</math>.</p> <p>Students will verify if a set of ordered pairs is a solution of a function.</p>  |
| <p>Assessment Limits</p>   | <p>In items where a function is represented by an equation, the function may be an exponential function with no more than one translation, a linear function, or a quadratic function.</p> <p>In items where a function is represented by a graph or table, the function may be any continuous function.</p>  |
| <p>Stimulus Attributes</p>   | <p>Items may be set in a mathematical or real-world context.</p> <p>Items may use function notation.</p> <p>Items must designate the place value accuracy necessary for approximate solutions.</p>  |
| <p>Response Attributes</p>   | <p>Items may require the student to complete a missing step in an algebraic justification of the solution of <math>f(x) = g(x)</math>.</p> <p>Items may require the student to explain the role of the <math>x</math>-coordinate and the <math>y</math>-coordinate in the intersection of <math>f(x) = g(x)</math>.</p> <p>Items may require the student to explain a process.</p> <p>Items may require the student to record successive approximations used to find the solution of <math>f(x) = g(x)</math>.</p>  |

Algebra 1 EOC Item Specifications  
Florida Standards Assessments

|             |  |
|-------------|--|
| Calculator  | Neutral  |
| Sample Item | See Appendix A for the Practice Test item aligned to a standard in this group. |

|   |  |
|---|--|
| <p>MAFS.912.A-SSE.2.3</p> <p>Also assesses<br/>MAFS.912.A-SSE.1.1</p> <p>Also assesses<br/>MAFS.912.A-SSE.1.2</p> | <p>Choose and produce an equivalent form of an expression to reveal and explain properties of the quantity represented by the expression.</p> <ol style="list-style-type: none"> <li>Factor a quadratic expression to reveal the zeros of the function it defines.</li> <li>Complete the square in a quadratic expression to reveal the maximum or minimum value of the function it defines.</li> <li>Use the properties of exponents to transform expressions for exponential functions. <i>For example, the expression <math>1.15^t</math> can be rewritten as <math>(1.15^{1/12})^{12t} \approx (1.012)^{12t}</math> to reveal the approximate equivalent monthly interest rate if the annual rate is 15%.</i></li> </ol> <p>Interpret expressions that represent a quantity in terms of its context.</p> <ol style="list-style-type: none"> <li>Interpret parts of an expression, such as terms, factors, and coefficients.</li> <li>Interpret complicated expressions by viewing one or more of their parts as a single entity. <i>For example, interpret <math>P(1+r)^n</math> as the product of <math>P</math> and a factor not depending on <math>P</math>.</i></li> </ol> <p>Use the structure of an expression to identify ways to rewrite it. <i>For example, see <math>x^4 - y^4</math> as <math>(x^2)^2 - (y^2)^2</math>, thus recognizing it as a difference of squares that can be factored as <math>(x^2 - y^2)(x^2 + y^2)</math>.</i></p> |
| <p>Clarifications</p>   | <p>Students will use equivalent forms of a quadratic expression to interpret the expression's terms, factors, zeros, maximum, minimum, coefficients, or parts in terms of the real-world situation the expression represents.</p> <p>Students will use equivalent forms of an exponential expression to interpret the expression's terms, factors, coefficients, or parts in terms of the real-world situation the expression represents.</p> <p>Students will rewrite algebraic expressions in different equivalent forms by recognizing the expression's structure.</p> <p>Students will rewrite algebraic expressions in different equivalent forms using factoring techniques (e.g., common factors, grouping, the difference of two squares, the sum or difference of two cubes, or a combination of methods to factor completely) or simplifying expressions (e.g., combining like terms, using the distributive property, and other operations with polynomials).</p>   |
| <p>Assessment Limits</p>  | <p>Items that require the student to transform a quadratic equation to vertex form, <math>b/a</math> must be an even integer.</p> <p>For A-SSE.1.1, items should not ask the student to interpret zeros, the vertex, or axis of symmetry when the quadratic expression is in the form <math>ax^2 + bx + c</math> (see F-IF.3.8).</p>   |

|                     |  |
|---------------------|--|
|                     | <p>For A-SSE.2.3c and A-SSE.1.1, exponential expressions are limited to simple growth and decay. If the number <math>e</math> is used then its approximate value should be given in the stem.</p> <p>For A-SSE.2.3a and A-SSE.1.1, quadratic expressions should be univariate.</p> <p>For A-SSE.2.3b, items should only ask the student to interpret the <math>y</math>-value of the vertex within a real-world context.</p> <p>For A-SSE.2.3, items should require the student to choose how to rewrite the expression.</p> <p>In items that require the student to write equivalent expressions by factoring, the given expression may</p> <ul style="list-style-type: none"> <li>• have integral common factors</li> <li>• be a difference of two squares up to a degree of 4</li> <li>• be a quadratic, <math>ax^2 + bx + c</math>, where <math>a &gt; 0</math> and <math>a</math>, <math>b</math>, and <math>c</math> are integers</li> <li>• be a polynomial of four terms with a leading coefficient of 1 and highest degree of 3.</li> </ul> |
| Stimulus Attributes | <p>Items assessing A-SSE.2.3 and A-SSE.1.1 must be set in a real-world context.</p> <p>Items that require an equivalent expression found by factoring may be in a real-world or mathematical context.</p> <p>Items should contain expressions only.</p> <p>Items may require the student to provide the answer in a specific form.</p>   |
| Response Attributes | <p>Items may require the student to choose an appropriate level of accuracy.</p> <p>Items may require the student to choose and interpret units.</p> <p>For A-SSE.1.1 and A-SSE.2.3, items may require the student to apply the basic modeling cycle.</p>  |
| Calculator          | Neutral  |
| Sample Item         | See Appendix A for the Practice Test item aligned to a standard in this group.   |

|                     |   |
|---------------------|---|
| MAFS.912.F-BF.2.3   | Identify the effect on the graph of replacing $f(x)$ by $f(x) + k$ , $kf(x)$ , $f(kx)$ , and $f(x + k)$ for specific values of $k$ (both positive and negative); find the value of $k$ given the graphs. Experiment with cases and illustrate an explanation of the effects on the graph using technology. <i>Include recognizing even and odd functions from their graphs and algebraic expressions for them.</i>  |
| Clarifications      | <p>Students will determine the value of <math>k</math> when given a graph of the function and its transformation.</p> <p>Students will identify differences and similarities between a function and its transformation.</p> <p>Students will identify a graph of a function given a graph or a table of a transformation and the type of transformation that is represented.</p> <p>Students will graph by applying a given transformation to a function.</p> <p>Students will identify ordered pairs of a transformed graph.</p> <p>Students will complete a table for a transformed function.</p> <p>Students will illustrate the effects on a graph of a transformed function.</p> |
| Assessment Limits   | <p>Functions represented algebraically are limited to linear, quadratic, or exponential.</p> <p>Functions represented using tables or graphs are not limited to linear, quadratic, or exponential.</p> <p>Functions may be represented using tables or graphs.</p> <p>Functions may have closed domains.</p> <p>Functions may be discontinuous.</p> <p>Items should have a single transformation.</p> <p>Items will not assess recognizing even and odd functions.</p>  |
| Stimulus Attributes | <p>Items should be given in a mathematical context.</p> <p>Items must use function notation.</p> <p>Items may present a function using an equation, a table of values, or a graph.</p>  |
| Response Attributes | <p>Items may require the student to explain or justify a transformation that has been applied to a function.</p>  |



Algebra 1 EOC Item Specifications  
Florida Standards Assessments

|             |  |
|-------------|--|
|             | Items may require the student to explain how a graph is affected by a value of $k$ .<br><br>Items may require the student to find the value of $k$ .<br><br>Items may require the student to complete a table of values. |
| Calculator  | Neutral  |
| Sample Item | See Appendix A for the Practice Test item aligned to this standard.  |

|  |   |
|--|---|
| <p>MAFS.912.F-IF.1.2</p> <p>Also assesses<br/>MAFS.912.F-IF.1.1</p> <p>Also assesses<br/>MAFS.912.F-IF.2.5</p> | <p>Use function notation, evaluate functions for inputs in their domains, and interpret statements that use function notation in terms of a context.</p> <p>Understand that a function from one set (called the domain) to another set (called the range) assigns to each element of the domain exactly one element of the range. If <math>f</math> is a function and <math>x</math> is an element of its domain, then <math>f(x)</math> denotes the output of <math>f</math> corresponding to the input <math>x</math>. The graph of <math>f</math> is the graph of the equation <math>y = f(x)</math>.</p> <p>Relate the domain of a function to its graph and, where applicable, to the quantitative relationship it describes. <i>For example, if the function <math>h(n)</math> gives the number of person-hours it takes to assemble <math>n</math> engines in a factory, then the positive integers would be an appropriate domain for the function.</i></p> |
| <p>Clarifications</p>  | <p>Students will evaluate functions that model a real-world context for inputs in the domain.</p> <p>Students will interpret the domain of a function within the real-world context given.</p> <p>Students will interpret statements that use function notation within the real-world context given.</p> <p>Students will use the definition of a function to determine if a relationship is a function, given tables, graphs, mapping diagrams, or sets of ordered pairs.</p> <p>Students will determine the feasible domain of a function that models a real-world context.</p>   |
| <p>Assessment Limits</p>   | <p>For F-IF.1.2, in items that require the student to find a value given a function, the following function types are allowed: quadratic, polynomials whose degrees are no higher than 6, square root, cube root, absolute value, exponential except for base <math>e</math>, and simple rational.</p> <p>Items may present relations in a variety of formats, including sets of ordered pairs, mapping diagrams, graphs, and input/output models.</p> <p>In items requiring the student to find the domain from graphs, relationships may be on a closed or open interval.</p> <p>In items requiring the student to find domain from graphs, relationships may be discontinuous.</p> <p>Items may not require the student to use or know interval notation.</p>  |

Algebra 1 EOC Item Specifications  
Florida Standards Assessments

|                     |   |
|---------------------|---|
| Stimulus Attributes | <p>For F-IF.1.1, items may be set in a real-world or mathematical context.</p> <p>For F-IF.1.2, items that require the student to evaluate may be written in a mathematical or real-world context. Items that require the student to interpret must be set in a real-world context.</p> <p>For F-IF.2.5, items must be set in a real-world context.</p> <p>Items must use function notation.</p>        |
| Response Attributes | <p>For F-IF.2.5, items may require the student to apply the basic modeling cycle.</p> <p>Items may require the student to choose an appropriate level of accuracy.</p> <p>Items may require the student to choose and interpret the scale in a graph.</p> <p>Items may require the student to choose and interpret units.</p> <p>Items may require the student to write domains using inequalities.</p> |
| Calculator          | Neutral   |
| Sample Item         | See Appendix A for the Practice Test item aligned to a standard in this group.  |

|   |   |
|---|---|
| <p>MAFS.912.F-IF.2.4</p> <p>Also assesses<br/>MAFS.912.F-IF.3.9</p> | <p>For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities and sketch graphs showing key features given a verbal description of the relationship. Key features include: intercepts; intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; end behavior; and periodicity.</p> <p>Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). <i>For example, given a graph of one quadratic function and an algebraic expression for another, say which has the larger maximum.</i></p>  |
| <p>Clarifications</p>   | <p>Students will determine and relate the key features of a function within a real-world context by examining the function’s table.</p> <p>Students will determine and relate the key features of a function within a real-world context by examining the function’s graph.</p> <p>Students will use a given verbal description of the relationship between two quantities to label key features of a graph of a function that model the relationship.</p> <p>Students will differentiate between different types of functions using a variety of descriptors (e.g., graphically, verbally, numerically, and algebraically).</p> <p>Students will compare and contrast properties of two functions using a variety of function representations (e.g., algebraic, graphic, numeric in tables, or verbal descriptions).</p> |
| <p>Assessment Limits</p>  | <p>Functions represented algebraically are limited to linear, quadratic, or exponential.</p> <p>Functions may be represented using tables, graphs or verbally. Functions represented using these representations are not limited to linear, quadratic or exponential.</p> <p>Functions may have closed domains.</p> <p>Functions may be discontinuous.</p> <p>Items may not require the student to use or know interval notation.</p> <p>Key features include x-intercepts, y-intercepts; intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; and end behavior.</p>  |

Algebra 1 EOC Item Specifications  
Florida Standards Assessments

|                     |   |
|---------------------|---|
| Stimulus Attributes | <p>For F-IF.2.4, items should be set in a real-world context.</p> <p>For F-IF.3.9, items may be set in a real-world or mathematical context.</p> <p>Items may use verbal descriptions of functions.</p> <p>Items must use function notation.</p>  |
| Response Attributes | <p>For F-IF.2.4, items may require the student to apply the basic modeling cycle.</p> <p>Items may require the student to write intervals using inequalities.</p> <p>Items may require the student to choose an appropriate level of accuracy.</p> <p>Items may require the student to choose and interpret the scale in a graph.</p> <p>Items may require the student to choose and interpret units.</p> |
| Calculator          | Neutral   |
| Sample Item         | See Appendix A for the Practice Test item aligned to a standard in this group.  |

Algebra 1 EOC Item Specifications  
Florida Standards Assessments

|   |  |
|---|--|
| <p>MAFS.912.F-IF.2.6</p> <p>Also assesses<br/>MAFS.912.S-ID.3.7</p> | <p>Calculate and interpret the average rate of change of a function (presented symbolically or as a table) over a specified interval. Estimate the rate of change from a graph.</p> <p>Interpret the slope (rate of change) and the intercept (constant term) of a linear model in the context of the data.</p>  |
| <p>Clarifications</p>   | <p>Students will calculate the average rate of change of a continuous function that is represented algebraically, in a table of values, on a graph, or as a set of data.</p> <p>Students will interpret the average rate of change of a continuous function that is represented algebraically, in a table of values, on a graph, or as a set of data with a real-world context.</p> <p>Students will interpret the <math>y</math>-intercept of a linear model that represents a set of data with a real-world context.</p>   |
| <p>Assessment Limits</p>  | <p>Items requiring the student to calculate the rate of change will give a specified interval that is both continuous and differentiable.</p> <p>Items should not require the student to find an equation of a line.</p> <p>Items assessing S-ID.3.7 should include data sets. Data sets must contain at least six data pairs. The linear function given in the item should be the regression equation.</p> <p>For items assessing S-ID.3.7, the rate of change and the <math>y</math>-intercept should have a value with at least a hundredths place value.</p> <p>Items assessing F-IF.2.6 should not be linear.</p> |
| <p>Stimulus Attributes</p>  | <p>Items may require the student to apply the basic modeling cycle.</p> <p>Items should be set in a real-world context.</p> <p>Items must use function notation.</p> <p>Items may require the student to choose and interpret variables.</p>   |
| <p>Response Attributes</p>  | <p>Items may require the student to choose an appropriate level of accuracy.</p> <p>Items may require the student to choose and interpret the scale in a graph.</p> <p>Items may require the student to choose and interpret units.</p>  |
| <p>Calculator</p>   | <p>Neutral</p>   |
| <p>Sample Item</p>  | <p>See Appendix A for the Practice Test item aligned to a standard in this group.</p>  |

|   |  |
|---|--|
| <p>MAFS.912.F-IF.3.8</p> <p>Also assesses<br/>MAFS.912.A-APR.2.3</p> <p>Also assesses<br/>MAFS.912.F-IF.3.7</p> | <p>Write a function defined by an expression in different but equivalent forms to reveal and explain different properties of the function.</p> <ol style="list-style-type: none"> <li>Use the process of factoring and completing the square in a quadratic function to show zeros, extreme values, and symmetry of the graph, and interpret these in terms of a context.</li> <li>Use the properties of exponents to interpret expressions for exponential functions. <i>For example, identify percent rate of change in functions such as <math>y = (1.02)^t</math>, <math>y = (0.97)^t</math>, <math>y = (1.01)^{12t}</math>, and <math>y = (1.2)^{t/10}</math> and classify them as representing exponential growth or decay.</i></li> </ol> <p>Identify zeros of polynomials when suitable factorizations are available and use the zeros to construct a rough graph of the function defined by the polynomial.</p> <p>Graph functions expressed symbolically and show key features of the graph by hand in simple cases and using technology for more complicated cases.</p> <ol style="list-style-type: none"> <li>Graph linear and quadratic functions and show intercepts, maxima, and minima.</li> <li>Graph square root, cube root, and piecewise-defined functions, including step functions and absolute value functions.</li> <li>Graph polynomial functions, identifying zeros when suitable factorizations are available and showing end behavior.</li> <li>Graph rational functions, identifying zeros and asymptotes when suitable factorizations are available and showing end behavior.</li> <li>Graph exponential and logarithmic functions, showing intercepts and end behavior, and trigonometric functions, showing period, midline, and amplitude and using phase shift.</li> </ol> |
| <p>Clarifications</p>   | <p>Students will identify zeros, extreme values, and symmetry of a quadratic function written symbolically.</p> <p>Students will classify the exponential function as exponential growth or decay by examining the base, and students will give the rate of growth or decay.</p> <p>Students will use the properties of exponents to interpret exponential expressions in a real-world context.</p>  |

|                          |  |
|--------------------------|--|
|                          | <p>Students will write an exponential function defined by an expression in different but equivalent forms to reveal and explain different properties of the function, and students will determine which form of the function is the most appropriate for interpretation for a real-world context.</p> <p>Students will find the zeros of a polynomial function when the polynomial is in factored form.</p> <p>Students will create a rough graph of a polynomial function in factored form by examining the zeros of the function.</p> <p>Students will use the x-intercepts of a polynomial function and end behavior to graph the function.</p> <p>Students will identify the x- and y-intercepts and the slope of the graph of a linear function.</p> <p>Students will identify zeros, extreme values, and symmetry of the graph of a quadratic function.</p> <p>Students will identify intercepts and end behavior for an exponential function.</p> <p>Students will graph a linear function using key features.</p> <p>Students will graph a quadratic function using key features.</p> <p>Students will graph an exponential function using key features.</p> <p>Students will identify and interpret key features of a graph within the real-world context that the function represents.</p> |
| <p>Assessment Limits</p> | <p>For F-IF.3.7, items are limited to linear, quadratic, and exponential functions.</p> <p>For A-APR.2.3, the leading coefficient should be an integer and the polynomial's degree is restricted to 3 or 4. The polynomial function should not have a zero with multiplicity. The polynomial should be given in factored form.</p> <p>For F-IF.3.8a, items that require the student to transform a quadratic equation to vertex form, <math>b/a</math> must be an even integer.</p> <p>For F-IF.3.7e and F-IF.3.8b, exponential functions are limited to simple exponential growth and decay functions and to exponential functions with one translation. Base e should not be used.</p>   |



|                     |  |
|---------------------|--|
|                     | <p>For F-IF.3.8, items may specify a required form using an equation or using common terminology such as standard form.</p> <p>In items that require the student to interpret the vertex or a zero of a quadratic function within a real-world context, the student should interpret both the <math>x</math>-value and the <math>y</math>-value.</p> <p>For F-IF.3.7a, quadratic functions that are given in the form <math>y = ax^2 + bx + c</math>, <math>a</math>, <math>b</math>, and <math>c</math> must be integers. Quadratic functions given in vertex form <math>y = a(x - h)^2 + k</math>, <math>a</math>, <math>h</math>, and <math>k</math> must be integers. Quadratic functions given in other forms should be able to be rewritten and adhere to one of the two previous forms.</p> |
| Stimulus Attributes | <p>Items may require the student to identify a correct graph.</p> <p>Items may be set in a mathematical or real-world context.</p> <p>For F-IF.3.8, items must use function notation.</p> <p>For F-IF.3.7, items may use an equation or a function.</p> <p>Items should not require the student to complete a sign chart for a polynomial.</p>   |
| Response Attributes | <p>For F-IF.3.7, items may require the student to apply the basic modeling cycle.</p> <p>Items may require the student to choose an appropriate level of accuracy.</p> <p>Items may require the student to choose and interpret the scale in a graph.</p> <p>Items may require the student to choose and interpret units.</p> <p>Items may require the student to provide the answer in a specific form.</p> <p>Responses with square roots should require the student to rewrite the square root so that the radicand has no square factors.</p>  |
| Calculator          | Neutral  |
| Sample Item         | See Appendix A for the Practice Test items aligned to a standard in this group.  |

Algebra 1 EOC Item Specifications  
Florida Standards Assessments

|   |  |
|---|--|
| <p>MAFS.912.F-LE.1.1</p> <p>Also assesses<br/>MAFS.912.F-LE.2.5</p> | <p>Distinguish between situations that can be modeled with linear functions and with exponential functions.</p> <ol style="list-style-type: none"> <li>Prove that linear functions grow by equal differences over equal intervals and that exponential functions grow by equal factors over equal intervals.</li> <li>Recognize situations in which one quantity changes at a constant rate per unit interval relative to another.</li> <li>Recognize situations in which a quantity grows or decays by a constant percent rate per unit interval relative to another.</li> </ol> <p>Interpret the parameters in a linear or exponential function in terms of a context.</p> |
| <p>Clarifications</p>   | <p>Students will determine whether the real-world context may be represented by a linear function or an exponential function and give the constant rate or the rate of growth or decay.</p> <p>Students will choose an explanation as to why a context may be modeled by a linear function or an exponential function.</p> <p>Students will interpret the rate of change and intercepts of a linear function when given an equation that models a real-world context.</p> <p>Students will interpret the x-intercept, y-intercept, and/or rate of growth or decay of an exponential function given in a real-world context.</p>  |
| <p>Assessment Limit</p>   | <p>Exponential functions should be in the form <math>a(b)^x + k</math>.</p>  |
| <p>Stimulus Attributes</p>  | <p>Items should be set in a real-world context.</p> <p>Items must use function notation.</p>   |
| <p>Response Attributes</p>  | <p>Items may require the student to apply the basic modeling cycle.</p> <p>Items may require the student to choose a parameter that is described within the real-world context.</p> <p>Items may require the student to choose an appropriate level of accuracy.</p> <p>Items may require the student to choose and interpret the scale in a graph.</p> <p>Items may require the student to choose and interpret units.</p>  |
| <p>Calculator</p>   | <p>Neutral</p>   |
| <p>Sample Item</p>  | <p>See Appendix A for the Practice Test items aligned to a standard in this group.</p>   |

|  |   |
|--|---|
| <p>MAFS.912.F-LE.1.2</p> <p>Also assesses<br/>MAFS.912.F-BF.1.1</p> <p>Also assesses<br/>MAFS.912.F-IF.1.3</p> | <p>Construct linear and exponential functions, including arithmetic and geometric sequences, given a graph, a description of a relationship, or two input-output pairs (including reading these from a table).</p> <p>Write a function that describes a relationship between two quantities.</p> <ol style="list-style-type: none"> <li>Determine an explicit expression, a recursive process, or steps for calculation from a context.</li> <li>Combine standard function types using arithmetic operations. <i>For example, build a function that models the temperature of a cooling body by adding a constant function to a decaying exponential, and relate these functions to the model.</i></li> <li>Compose functions. <i>For example, if <math>T(y)</math> is the temperature in the atmosphere as a function of height, and <math>h(t)</math> is the height of a weather balloon as a function of time, then <math>T(h(t))</math> is the temperature at the location of the weather balloon as a function of time.</i></li> </ol> <p>Recognize that sequences are functions, sometimes defined recursively, whose domain is a subset of the integers. <i>For example, the Fibonacci sequence is defined recursively by <math>f(0) = f(1) = 1</math>, <math>f(n+1) = f(n) + f(n-1)</math> for <math>n \geq 1</math>.</i></p> |
| <p>Clarifications</p>  | <p>Students will write a linear function, an arithmetic sequence, an exponential function, or a geometric sequence when given a graph that models a real-world context.</p> <p>Students will write a linear function, an arithmetic sequence, an exponential function, or a geometric sequence when given a verbal description of a real-world context.</p> <p>Students will write a linear function, an arithmetic sequence, an exponential function, or a geometric sequence when given a table of values or a set of ordered pairs that model a real-world context.</p> <p>Students will write an explicit function, define a recursive process, or complete a table of calculations that can be used to mathematically define a real-world context.</p> <p>Students will write a function that combines functions using arithmetic operations and relate the result to the context of the problem.</p> <p>Students will write a function to model a real-world context by composing functions and the information within the context.</p> <p>Students will write a recursive definition for a sequence that is presented as a sequence, a graph, or a table.</p>  |

|                            |   |
|----------------------------|---|
| <p>Assessment Limits</p>   | <p>In items where the student must write a function using arithmetic operations or by composing functions, the student should have to generate the new function only.</p> <p>In items where the student constructs an exponential function, a geometric sequence, or a recursive definition from input-output pairs, at least two sets of pairs must have consecutive inputs.</p> <p>In items that require the student to construct arithmetic or geometric sequences, the real-world context should be discrete.</p> <p>In items that require the student to construct a linear or exponential function, the real-world context should be continuous.</p> <p>For F-BF.1.1a, functions are limited to linear and exponential.</p> <p>For F-BF.1.1a, limit to a recursive process of steps for a calculation from a context.</p> <p>For F-BF.1.1b and F-BF.1.1c, limit operations to addition and subtraction of polynomials, where the sum or difference may have no more than 4 terms.</p> |
| <p>Stimulus Attributes</p> | <p>For F-LE.1.2 and F-BF.1.1, items should be set in a real-world context.</p> <p>For F-IF.1.3, items may be set in a mathematical or real-world context.</p> <p>Items must use function notation.</p> <p>In items where the student builds a function using arithmetic operations or by composition, the functions may be given using verbal descriptions, function notation or as equations.</p>  |
| <p>Response Attributes</p> | <p>For F-BF.1.1b and c, the student may be asked to find a value.</p> <p>For F-LE.1.2 and F-BF.1.1, items may require the student to apply the basic modeling cycle.</p> <p>In items where the student writes a recursive formula, the student may be expected to give both parts of the formula.</p> <p>The student may be required to determine equivalent recursive formulas or functions.</p> <p>Items may require the student to choose an appropriate level of accuracy.</p>  |

Algebra 1 EOC Item Specifications  
Florida Standards Assessments

|             |   |
|-------------|---|
|             | Items may require the student to choose and interpret the scale in a graph.<br>Items may require the student to choose and interpret units. |
| Calculator  | Neutral   |
| Sample Item | See Appendix A for the Practice Test items aligned to a standard in this group.   |

Algebra 1 EOC Item Specifications  
 Florida Standards Assessments

|                     |   |
|---------------------|---|
| MAFS.912.F-LE.1.3   | Observe using graphs and tables that a quantity increasing exponentially eventually exceeds a quantity increasing linearly, quadratically, or (more generally) as a polynomial function.  |
| Clarifications      | <p>Students will compare a linear function and an exponential function given in real-world context by interpreting the functions' graphs.</p> <p>Students will compare a linear function and an exponential function given in a real-world context through tables.</p> <p>Students will compare a quadratic function and an exponential function given in real-world context by interpreting the functions' graphs.</p> <p>Students will compare a quadratic function and an exponential function given in a real-world context through tables.</p> |
| Assessment Limits   | <p>Exponential functions represented in graphs or tables should be able to be written in the form <math>a(b)^x + k</math>.</p> <p>For exponential relationships, tables or graphs must contain at least one pair of consecutive values.</p>   |
| Stimulus Attributes | <p>Items should give a graph or a table.</p> <p>Items should be given in a real-world context.</p> <p>Items must use function notation.</p>   |
| Response Attributes | <p>Items may require the student to apply the basic modeling cycle.</p> <p>Items may require the student to choose an appropriate level of accuracy.</p> <p>Items may require the student to choose and interpret the scale in a graph.</p> <p>Items may require the student to choose and interpret units.</p>   |
| Calculator          | Neutral   |
| Sample Item         | See Appendix A for the Practice Test item aligned to this standard.   |

|  |  |
|--|--|
| <p>MAFS.912.N-RN.1.2</p> <p>Also assesses<br/>MAFS.912.N-RN.1.1</p> <p>Also assesses<br/>MAFS.912.N-RN.2.3</p> | <p>Rewrite expressions involving radicals and rational exponents using the properties of exponents.</p> <p>Explain how the definition of the meaning of rational exponents follows from extending the properties of integer exponents to those values, allowing for a notation for radicals in terms of rational exponents. <i>For example, we define <math>5^{\frac{1}{3}}</math> to be the cube root of 5 because we want <math>\left(5^{\frac{1}{3}}\right)^3 = 5\left(\frac{1}{3}\right)^3</math> to hold, so <math>\left(5^{\frac{1}{3}}\right)^3</math> must equal 5.</i></p> <p>Explain why the sum or product of two rational numbers is rational; that the sum of a rational number and an irrational number is irrational; and that the product of a nonzero rational number and an irrational number is irrational.</p> |
| <p>Clarifications</p>  | <p>Students will use the properties of exponents to rewrite a radical expression as an expression with a rational exponent.</p> <p>Students will use the properties of exponents to rewrite an expression with a rational exponent as a radical expression.</p> <p>Students will apply the properties of operations of integer exponents to expressions with rational exponents.</p> <p>Students will apply the properties of operations of integer exponents to radical expressions.</p> <p>Students will write algebraic proofs that show that a sum or product of two rational numbers is rational; that the sum of a rational number and an irrational number is irrational; and that the product of a nonzero rational number and an irrational number is irrational.</p>   |
| <p>Assessment Limits</p>   | <p>Expressions should contain one variable with a rational coefficient.</p> <p>Expressions are limited to square roots or cube roots.</p> <p>In an exponent of the form <math>a/b</math>, <math>a</math> cannot be negative and the value of <math>b</math> is limited to 2 or 3.</p> <p>For N-RN.1.2, items should not require the student to do more than two operations.</p> <p>For N-RN.1.1, items should not require the student to complete more than 2 missing steps.</p>   |
| <p>Stimulus Attribute</p>  | <p>Items should be set in a mathematical context.</p> <p>Variables should be defined in the stimulus.</p>  |
| <p>Response Attributes</p>   | <p>Items may require the student to complete an algebraic proof, including proofs by contradiction.</p>  |

Algebra 1 EOC Item Specifications  
Florida Standards Assessments

|             |  |
|-------------|--|
|             | <p>Items may require the student to determine equivalent expressions or equations, and may involve negative exponents, which can be left as negative exponents.</p> <p>Responses with square roots should require the student to rewrite the square root so that the radicand has no square factors.</p> |
| Calculator  | Neutral  |
| Sample Item | See Appendix A for the Practice Test item aligned to a standard in this group.   |



Algebra 1 EOC Item Specifications  
 Florida Standards Assessments

|                     |  |
|---------------------|--|
| MAFS.912.S-ID.1.1   | Represent data with plots on the real number line (dot plots, histograms, and box plots).  |
| Clarification       | Students will represent data using a dot plot, a histogram, or a box plot.<br><br>Students may calculate first and third quartiles with or without the median.   |
| Assessment Limits   | In items where students have to calculate measures of spread or center, data sets can include at most 15 data points.  |
| Stimulus Attribute  | Items should use real-world data and be set in a real-world context.   |
| Response Attributes | Items may require the student to apply the basic modeling cycle.<br><br>Items may require the student to choose an appropriate level of accuracy.<br><br>Items may require the student to choose and interpret the scale in a graph.<br><br>Items may require the student to choose and interpret units. |
| Calculator          | Neutral  |
| Sample Item         | See Appendix A for the Practice Test item aligned to this standard.  |

Algebra 1 EOC Item Specifications  
Florida Standards Assessments

|   |  |
|---|--|
| <p>MAFS.912.S-ID.1.2</p> <p>Also assesses<br/>MAFS.912.S-ID.1.3</p> | <p>Use statistics appropriate to the shape of the data distribution to compare center (median, mean) and spread (interquartile range, standard deviation) of two or more different data sets.</p> <p>Interpret differences in shape, center, and spread in the context of the data sets, accounting for possible effects of extreme data points (outliers).</p>  |
| <p>Clarifications</p>   | <p>Students will identify similarities and differences in shape, center, and spread when given two or more data sets.</p> <p>Students will not be required to determine whether graph is skewed left/right, only if it is skewed.</p> <p>Students will predict the effect that an outlier will have on the shape, center, and spread of a data set.</p> <p>Students will interpret similarities and differences in shape, center, and spread when given two or more data sets within the real-world context given.</p> |
| <p>Assessment Limits</p>  | <p>Items may include no more than two data sets.</p> <p>Items may require the student to calculate mean, median, and interquartile range for the purpose of identifying similarities and differences.</p> <p>Items should not require the student to calculate the standard deviation.</p> <p>Items should not require the student to fit normal curves to data. Data distributions should be approximately normal for this standard.</p> <p>Data sets should be real-world and quantitative.</p>                      |
| <p>Stimulus Attributes</p>  | <p>In items that require standard deviation, the value should be given in the stem.</p> <p>Items should use real-world data and be set in a real-world context.</p>  |
| <p>Response Attributes</p>  | <p>Items may require the student to apply the basic modeling cycle.</p> <p>Items may require the student to choose an appropriate level of accuracy.</p> <p>Items may require the student to choose and interpret the scale in a graph.</p> <p>Items may require the student to choose and interpret units.</p> <p>Items should not require the student to determine whether a distribution is left- or right-skewed.</p>  |

Algebra 1 EOC Item Specifications  
Florida Standards Assessments

|             |   |
|-------------|---|
| Calculator  | Neutral   |
| Sample Item | See Appendix A for the Practice Test items aligned to a standard in this group. |

Algebra 1 EOC Item Specifications  
 Florida Standards Assessments

|                     |  |
|---------------------|--|
| MAFS.912.S-ID.2.5   | Summarize categorical data for two categories in two-way frequency tables. Interpret relative frequencies in the context of the data (including joint, marginal, and conditional relative frequencies). Recognize possible associations and trends in the data.  |
| Clarifications      | <p>Students will create or complete a two-way frequency table to summarize categorical data.</p> <p>Students will determine if associations/trends are appropriate for the data.</p> <p>Students will interpret data displayed in a two-way frequency table.</p> <p>Students will calculate joint, marginal, and conditional relative frequencies.</p> |
| Assessment Limit    | In data with only two categorical variables, items should require the student to determine relative frequencies and use the frequencies to complete the table or to answer questions.  |
| Stimulus Attribute  | Items should use real-world data and be set in a real-world context.   |
| Response Attributes | <p>Items may require the student to apply the basic modeling cycle.</p> <p>Items may require the student to choose an appropriate level of accuracy.</p> <p>Items may require the student to choose and interpret units.</p>   |
| Calculator          | Neutral  |
| Sample Item         | See Appendix A for the Practice Test item aligned to this standard.  |

|  |  |
|--|--|
| <p>MAFS.912.S-ID.2.6</p> <p>Also assesses<br/>MAFS.912.S-ID.3.8</p> <p>Also assesses<br/>MAFS.912.S-ID.3.9</p> | <p>Represent data on two quantitative variables on a scatter plot, and describe how the variables are related.</p> <ol style="list-style-type: none"> <li>Fit a function to the data; use functions fitted to data to solve problems in the context of the data. <i>Use given functions or choose a function suggested by the context. Emphasize linear and exponential models.</i></li> <li>Informally assess the fit of a function by plotting and analyzing residuals.</li> <li>Fit a linear function for a scatter plot that suggests a linear association.</li> </ol> <p>Compute (using technology) and interpret the correlation coefficient of a linear fit.</p> <p>Distinguish between correlation and causation.</p>                        |
| <p>Clarifications</p>  | <p>Students will represent data on a scatter plot.</p> <p>Students will identify a linear function, a quadratic function, or an exponential function that was found using regression.</p> <p>Students will use a regression equation to solve problems in the context of the data.</p> <p>Students will calculate residuals.</p> <p>Students will create a residual plot and determine whether a function is an appropriate fit for the data.</p> <p>Students will determine the fit of a function by analyzing the correlation coefficient.</p> <p>Students will distinguish between situations where correlation does not imply causation.</p> <p>Students will distinguish variables that are correlated because one is the cause of another.</p> |
| <p>Assessment Limit</p>  | <p>In items that require the student to interpret or use the correlation coefficient, the value of the correlation coefficient must be given in the stem.</p>  |
| <p>Stimulus Attribute</p>  | <p>Items should use real-world data and be set in a real-world context.</p>  |
| <p>Response Attributes</p>   | <p>Items may require the student to apply the basic modeling cycle.</p> <p>Items may require the student to choose an appropriate level of accuracy.</p> <p>Items may require the student to choose and interpret the scale in a graph.</p>  |

Algebra 1 EOC Item Specifications  
Florida Standards Assessments

|             |  |
|-------------|--|
|             | Items may require the student to choose and interpret units.                   |
| Calculator  | Neutral  |
| Sample Item | See Appendix A for the Practice Test item aligned to a standard in this group. |

## Appendix A

The chart below contains information about the standard alignment for the items in the Algebra 1 Computer-Based Practice Test at <http://fsassessments.org/students-and-families/practice-tests/>.

| Content Standard    | Item Type                               | Computer-Based Practice Test Item Number |
|---------------------|---|--|
| MAFS.912.A-APR.1.1  | GRID                                    | 8  |
| MAFS.912.A-CED.1.1  | GRID                                    | 20                                       |
| MAFS.912.A-CED.1.2  | Equation Editor                         | 17                                       |
| MAFS.912.A-REI.3.5  | Multiselect                             | 12                                       |
| MAFS.912.A-REI.3.6  | Equation Editor                         | 9  |
| MAFS.912.A-REI.3.6  | Equation Editor                         | 31                                       |
| MAFS.912.A-REI.4.12 | GRID                                    | 29                                       |
| MAFS.912.A-CED.1.3  | Multiple Choice                         | 14                                       |
| MAFS.912.A-REI.1.1  | Selectable Hot Text                     | 6  |
| MAFS.912.A-REI.2.4a | GRID                                    | 11                                       |
| MAFS.912.A-REI.2.4b | Equation Editor                         | 16                                       |
| MAFS.912.A-REI.4.11 | Equation Editor                         | 7  |
| MAFS.912.A-SSE.2.3  | Selectable Hot Text                     | 19                                       |
| MAFS.912.F-BF.2.3   | Table Item                              | 3  |
| MAFS.912.F-IF.2.5   | Multiple Choice                         | 25                                       |
| MAFS.912.F-IF.2.4   | GRID                                    | 18                                       |
| MAFS.912.F-IF.2.6   | Multiple Choice                         | 22                                       |
| MAFS.912.F-IF.3.8a  | Multiselect                             | 5  |
| MAFS.912.F-IF.3.8a  | Equation Editor                         | 27                                       |
| MAFS.912.F-LE.1.1a  | Editing Task Choice and Multiple Choice | 15                                       |
| MAFS.912.F-LE.2.5   | GRID                                    | 13                                       |
| MAFS.912.F-LE.1.2   | Equation Editor                         | 1  |
| MAFS.912.F-BF.1.1a  | Equation Editor                         | 24                                       |
| MAFS.912.F-IF.1.3   | Editing Task Choice                     | 30                                       |
| MAFS.912.F-LE.1.3   | Open Response                           | 10                                       |
| MAFS.912.N-RN.1.2   | Multiple Choice                         | 2  |
| MAFS.912.S-ID.1.1   | GRID                                    | 4  |
| MAFS.912.S-ID.1.2   | Matching Item                           | 21                                       |
| MAFS.912.S-ID.1.2   | Editing Task Choice                     | 28                                       |
| MAFS.912.S-ID.2.5   | Table Item                              | 23                                       |
| MAFS.912.S-ID.2.6   | Open Response                           | 26                                       |

## Appendix B: Revisions

| Page(s) | Revision  | Date         |
|---------|---|--------------|
| 8       | Description of multi-interaction items for paper-based assessments revised. | January 2020 |
| 14      | Updated clarification.  | January 2020 |
| 15      | Updated stimulus attribute.   | January 2020 |
| 16      | Updated an assessment limit.  | January 2020 |
| 24      | Added a clarification and an assessment limit.                              | January 2020 |
| 36      | Added assessments limits.   | January 2020 |
| 39-40   | Added clarifications, a stimulus attribute, and response attributes.        | January 2020 |
| 41      | Added a clarification and an assessment limit.                              | January 2020 |
| 42      | Added a clarification and an assessment limit.                              | January 2020 |



## Algebra 1 EOC FSA Mathematics Reference Sheet

### Customary Conversions

1 foot = 12 inches  
1 yard = 3 feet  
1 mile = 5,280 feet  
1 mile = 1,760 yards

1 cup = 8 fluid ounces  
1 pint = 2 cups  
1 quart = 2 pints  
1 gallon = 4 quarts

1 pound = 16 ounces  
1 ton = 2,000 pounds

### Metric Conversions

1 meter = 100 centimeters  
1 meter = 1000 millimeters  
1 kilometer = 1000 meters

1 liter = 1000 milliliters

1 gram = 1000 milligrams  
1 kilogram = 1000 grams

### Time Conversions

1 minute = 60 seconds  
1 hour = 60 minutes  
1 day = 24 hours  
1 year = 365 days  
1 year = 52 weeks